Les adjectifs de description physique

La description physique

#calibri { font-family: "Calibri"; font-size: medium; }

Pour fair la description physique d'une personne, nous pouvons utiliser les verbes SER, TENER y LLEVAR.

Le verbe "ser" s'emploi suivi d'un adjectif.

 *María es joven, morena y lleva gafas.*

 *La abuela de Julio es mayor. Tiene el pelo canoso y lleva gafas.*

Quelques adjectifs de description physique

- Pour exprimer l'âge:

Es joven (Il /elle est jeune) ≠ Es viejo/a (Il /elle est vieux/vieille) o Es mayor (C'est une personne âgée)

- Pour décrire la couleur et la forme des cheveux:

Es moreno/a (Il/elle est brun/e) = Tiene el pelo moreno (Il /elle a les cheveux bruns)

Es pelirrojo/a (Il /elle est roux/rousse) = Tiene el pelo pelirrojo (Il/ elle a les cheveux roux)

Es rubio/a (Il/elle est blond/e) = Tiene el pelo rubio (Il /elle a les cheveux blonds)

Es castaño/a (Il/elle est châtain) = Tiene el pelo castaño (Il /elle a les cheveux châtains)

 *Tiene el pelo canoso o blanco (Il /elle a les cheveux blancs)*

Tiene el pelo corto ≠ largo (Il /elle a les cheveux courts ≠ longs)

Tiene el pelo liso ≠ rizado u ondulado (Il/elle a les cheveux raides ≠ ondulés ou blouclés)

- Pour décrire la couleur des yeux:

  Tiene los ojos verdes/azules/marrones/negros (Il /elle a les cheveux verts, bleus, marrons, noirs)

- Pour parler de la constitution d'une personne:

  Es gordo/a (Il /elle est gros/se) ≠ Es delgado/a o Es flaco/a (Il /elle est maigre ou mince)

  Es alto (Il /elle est grand/e)≠ Es bajo o pequeño (Il /elle est petit/e)

La description psychologique

```
 <html> <p class="MsoNormal" style="margin-bottom:6.0pt"><span style="mso-
ansi-language:
```

ES“ lang=“ES”>Nous pouvons <span style=“font-size:11.0pt;line-height:115%; font-family:"Calibri","sans-serif";mso-ascii-theme-font:minor-latin;mso-fareast-font-family:Calibri;mso-fareast-theme-font:minor-latin;mso-hansi-theme-font:minor-latin; mso-bidi-font-family:"Times New Roman";mso-bidi-theme-font:minor-bidi;mso-ansi-language:FR;mso-fareast-language:EN-US;mso-bidi-language:AR-SA”>employer les

```
       verbes </span> SER y PARECER.</span></p>
  <p class="MsoNormal" style="margin-bottom:6.0pt"><img alt=""
src="http://www.e-exercises.com/img/bibliotheque/1568_11c15c82a5291cb4c8c3a1
f1c636c583.jpg"
```

```
     align="none" height="107" width="100"><span style="mso-ansi-language:
```

ES” lang=“ES”> <i style=“mso-bidi-font-style:normal”>Marcelo es

```
       un joven muy <u>inteligente </u>pero poco
<u>gracioso.</u></i></span></p>
  <p class="MsoNormal" style="margin-bottom:6.0pt"><img alt=""
src="http://www.e-exercises.com/img/bibliotheque/1672_6ab44b1022092449d3baa3
dd32a1108d.jpg"
```

```
     align="none" height="107" width="100"><i style="mso-bidi-font-style:
```

normal“><span style=“mso-tab-count: 1”> Tu jefe es un hombre <u>bueno</u> y <u>serio</u>.

```
     </span></i></p>
```

```
  <p class="MsoNormal" style="margin-bottom:6.0pt"><b style="mso-bidi-font-
weight:
```

normal”>Quelques adjectifs

```
      pour la description psychologique</b></p>
  <p class="MsoNormal" style="margin-bottom:6.0pt">
  </p>
  <div align="center">
    <table class="MsoTableGrid" style="border-
collapse:collapse;border:none;mso-border-alt:solid windowtext .5pt;
```

mso-yfti-tbllook:1184;mso-padding-alt:0cm 5.4pt 0cm 5.4pt“ border=“1” cellpadding=“0”

```
      cellspacing="0">
      <tbody>
        <tr style="mso-yfti-irow:0;mso-yfti-firstrow:yes">
          <td style="width: 230.3pt; border: 1pt solid windowtext; padding:
0cm 5.4pt; text-align: center;"
```

```
            valign="top" width="307"><!--[if gte mso 9]><xml>
```

<o:DocumentProperties> <o:Version>14.00</o:Version> </o:DocumentProperties> <o:OfficeDocumentSettings>

```
<o:AllowPNG/> </o:OfficeDocumentSettings>
```

</xml><![endif]–><span style=“font-size:11.0pt;line-height:115%; font-family:"Calibri","sans-serif";mso-ascii-theme-font:minor-latin;mso-fareast-font-family:Calibri;mso-fareast-theme-font:minor-latin;mso-hansi-theme-font:minor-latin; mso-bidi-font-family:"Times New Roman";mso-bidi-theme-font:minor-bidi;mso-ansi-language:FR;mso-fareast-language:EN-US;mso-bidi-language:AR-SA”>

```
              Inteligente
              (intelligent/e)</span><!--[if gte mso 9]><xml>
```

<w:WordDocument> <w:View>Normal</w:View>

```
<w:Zoom>0</w:Zoom>  <w:TrackMoves/>
<w:TrackFormatting/>  <w:HyphenationZone>21</w:HyphenationZone>
<w:PunctuationKerning/>  <w:ValidateAgainstSchemas/>
<w:SaveIfXMLInvalid>false</w:SaveIfXMLInvalid>
<w:IgnoreMixedContent>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF/>
<w:LidThemeOther>FR</w:LidThemeOther>  <w:LidThemeAsian>X-
NONE</w:LidThemeAsian>
<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>  <w:Compatibility>
 <w:BreakWrappedTables/>   <w:SnapToGridInCell/>
 <w:WrapTextWithPunct/>   <w:UseAsianBreakRules/>
```

```
 <w:DontGrowAutofit/>   <w:SplitPgBreakAndParaMark/>
 <w:EnableOpenTypeKerning/>   <w:DontFlipMirrorIndents/>
 <w:OverrideTableStyleHps/>  </w:Compatibility>
<m:mathPr>   <m:mathFont m:val="Cambria Math"/>
 <m:brkBin m:val="before"/>   <m:brkBinSub m:val="&#45;-"/>
 <m:smallFrac m:val="off"/>   <m:dispDef/>
 <m:lMargin m:val="0"/>   <m:rMargin m:val="0"/>
 <m:defJc m:val="centerGroup"/>   <m:wrapIndent m:val="1440"/>
 <m:intLim m:val="subSup"/>   <m:naryLim m:val="undOvr"/>
</m:mathPr></w:WordDocument></xml><![endif]--><!--[if gte mso 9]><xml>
```

<w:LatentStyles DefLockedState=“false” DefUnhideWhenUsed=“true” DefSemiHidden=“true” DefQFormat=“false” DefPriority=“99”

```
LatentStyleCount="267">  <w:LsdException Locked="false" Priority="0"
SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Normal"/>  <w:LsdException
Locked="false" Priority="9" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="heading 1"/>  <w:LsdException
Locked="false" Priority="9" QFormat="true" Name="heading 2"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
3"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 4"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
5"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 6"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
7"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 8"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
9"/>  <w:LsdException Locked="false" Priority="39" Name="toc 1"/>
<w:LsdException Locked="false" Priority="39" Name="toc 2"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 3"/>
<w:LsdException Locked="false" Priority="39" Name="toc 4"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 5"/>
<w:LsdException Locked="false" Priority="39" Name="toc 6"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 7"/>
<w:LsdException Locked="false" Priority="39" Name="toc 8"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 9"/>
<w:LsdException Locked="false" Priority="35" QFormat="true" Name="caption"/>
<w:LsdException Locked="false" Priority="10" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Title"/>  <w:LsdException
Locked="false" Priority="1" Name="Default Paragraph Font"/>
<w:LsdException Locked="false" Priority="11" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtitle"/>
<w:LsdException Locked="false" Priority="22" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Strong"/>
<w:LsdException Locked="false" Priority="20" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Emphasis"/>
<w:LsdException Locked="false" Priority="59" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Table Grid"/>
<w:LsdException Locked="false" UnhideWhenUsed="false" Name="Placeholder
Text"/>  <w:LsdException Locked="false" Priority="1" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="No Spacing"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List"/>  <w:LsdException Locked="false"
Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid"/>  <w:LsdException Locked="false"
Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1"/>  <w:LsdException
Locked="false" Priority="66" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 2"/>  <w:LsdException
Locked="false" Priority="67" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 1"/>  <w:LsdException
Locked="false" Priority="68" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 2"/>  <w:LsdException
Locked="false" Priority="69" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 3"/>  <w:LsdException
Locked="false" Priority="70" SemiHidden="false"
 UnhideWhenUsed="false" Name="Dark List"/>  <w:LsdException Locked="false"
Priority="71" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Shading"/>  <w:LsdException
Locked="false" Priority="72" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful List"/>  <w:LsdException
Locked="false" Priority="73" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Grid"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading Accent 1"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List Accent 1"/>  <w:LsdException
Locked="false" Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid Accent 1"/>  <w:LsdException
Locked="false" Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1 Accent 1"/>  <w:LsdException
Locked="false" UnhideWhenUsed="false" Name="Revision"/>
<w:LsdException Locked="false" Priority="34" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="List Paragraph"/>
<w:LsdException Locked="false" Priority="29" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Quote"/>
<w:LsdException Locked="false" Priority="30" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Quote"/>
```

```
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 1"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 1"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 1"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 1"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 1"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 2"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 2"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 2"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 2"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 2"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 2"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 2"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 2"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 2"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 3"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 3"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 3"/>
```

```
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 3"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 3"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 3"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 3"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 3"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 3"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 4"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 4"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 4"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 4"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 4"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 4"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 4"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 4"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 4"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Light Shading Accent 5"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 5"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 5"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 5"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 5"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 5"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 5"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 5"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 5"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 6"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 6"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 6"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 6"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 6"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 6"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Colorful Shading Accent 6"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 6"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 6"/>
<w:LsdException Locked="false" Priority="19" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis"/>
<w:LsdException Locked="false" Priority="21" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis"/>
<w:LsdException Locked="false" Priority="31" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference"/>
<w:LsdException Locked="false" Priority="32" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Reference"/>
<w:LsdException Locked="false" Priority="33" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Book Title"/>
<w:LsdException Locked="false" Priority="37" Name="Bibliography"/>
<w:LsdException Locked="false" Priority="39" QFormat="true" Name="TOC
Heading"/>
```

</w:LatentStyles></xml><![endif]–><!–[if gte mso 10]> <style> /* Style Definitions */ table.MsoNormalTable {mso-style-name:“Tableau Normal”;

```
mso-tstyle-rowband-size:0;  mso-tstyle-colband-size:0;
mso-style-noshow:yes;   mso-style-priority:99;
mso-style-parent:"";  mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;    mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;  mso-para-margin-left:0cm;
line-height:115%;   mso-pagination:widow-orphan;
font-size:11.0pt;   font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;  mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;  mso-hansi-theme-font:minor-latin;
mso-fareast-language:EN-US;}</style>
```

<![endif]–></td>

```
          <td style="width:230.3pt;border:solid windowtext 1.0pt;
border-left:none;mso-border-left-alt:solid windowtext .5pt;mso-border-alt:
solid windowtext .5pt;padding:0cm 5.4pt 0cm 5.4pt"
```

```
            valign="top" width="307">
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<o:DocumentProperties> <o:Version>14.00</o:Version> </o:DocumentProperties> <o:OfficeDocumentSettings>

```
<o:AllowPNG/> </o:OfficeDocumentSettings>
```

</xml><![endif]–></p>

```
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<w:WordDocument> <w:View>Normal</w:View>

```
<w:Zoom>0</w:Zoom>  <w:TrackMoves/>
<w:TrackFormatting/>  <w:HyphenationZone>21</w:HyphenationZone>
<w:PunctuationKerning/>  <w:ValidateAgainstSchemas/>
<w:SaveIfXMLInvalid>false</w:SaveIfXMLInvalid>
<w:IgnoreMixedContent>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF/>
<w:LidThemeOther>FR</w:LidThemeOther>  <w:LidThemeAsian>X-
NONE</w:LidThemeAsian>
<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>  <w:Compatibility>
 <w:BreakWrappedTables/>   <w:SnapToGridInCell/>
 <w:WrapTextWithPunct/>   <w:UseAsianBreakRules/>
 <w:DontGrowAutofit/>   <w:SplitPgBreakAndParaMark/>
 <w:EnableOpenTypeKerning/>   <w:DontFlipMirrorIndents/>
 <w:OverrideTableStyleHps/>  </w:Compatibility>
<m:mathPr>   <m:mathFont m:val="Cambria Math"/>
 <m:brkBin m:val="before"/>   <m:brkBinSub m:val="&#45;-"/>
 <m:smallFrac m:val="off"/>   <m:dispDef/>
 <m:lMargin m:val="0"/>   <m:rMargin m:val="0"/>
 <m:defJc m:val="centerGroup"/>   <m:wrapIndent m:val="1440"/>
 <m:intLim m:val="subSup"/>   <m:naryLim m:val="undOvr"/>
</m:mathPr></w:WordDocument></xml><![endif]--><!--[if gte mso 9]><xml>
```

<w:LatentStyles DefLockedState=“false” DefUnhideWhenUsed=“true” DefSemiHidden=“true” DefQFormat=“false” DefPriority=“99”

```
LatentStyleCount="267">  <w:LsdException Locked="false" Priority="0"
SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Normal"/>  <w:LsdException
Locked="false" Priority="9" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="heading 1"/>  <w:LsdException
Locked="false" Priority="9" QFormat="true" Name="heading 2"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
3"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 4"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
5"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 6"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
7"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 8"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
9"/>  <w:LsdException Locked="false" Priority="39" Name="toc 1"/>
<w:LsdException Locked="false" Priority="39" Name="toc 2"/>  <w:LsdException
```

```
Locked="false" Priority="39" Name="toc 3"/>
<w:LsdException Locked="false" Priority="39" Name="toc 4"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 5"/>
<w:LsdException Locked="false" Priority="39" Name="toc 6"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 7"/>
<w:LsdException Locked="false" Priority="39" Name="toc 8"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 9"/>
<w:LsdException Locked="false" Priority="35" QFormat="true" Name="caption"/>
<w:LsdException Locked="false" Priority="10" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Title"/>  <w:LsdException
Locked="false" Priority="1" Name="Default Paragraph Font"/>
<w:LsdException Locked="false" Priority="11" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtitle"/>
<w:LsdException Locked="false" Priority="22" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Strong"/>
<w:LsdException Locked="false" Priority="20" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Emphasis"/>
<w:LsdException Locked="false" Priority="59" SemiHidden="false"
UnhideWhenUsed="false" Name="Table Grid"/>
<w:LsdException Locked="false" UnhideWhenUsed="false" Name="Placeholder
Text"/>  <w:LsdException Locked="false" Priority="1" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="No Spacing"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List"/>  <w:LsdException Locked="false"
Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid"/>  <w:LsdException Locked="false"
Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1"/>  <w:LsdException
Locked="false" Priority="66" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 2"/>  <w:LsdException
Locked="false" Priority="67" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 1"/>  <w:LsdException
Locked="false" Priority="68" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 2"/>  <w:LsdException
Locked="false" Priority="69" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 3"/>  <w:LsdException
Locked="false" Priority="70" SemiHidden="false"
 UnhideWhenUsed="false" Name="Dark List"/>  <w:LsdException Locked="false"
Priority="71" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Shading"/>  <w:LsdException
Locked="false" Priority="72" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful List"/>  <w:LsdException
Locked="false" Priority="73" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Grid"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
```

```
 UnhideWhenUsed="false" Name="Light Shading Accent 1"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List Accent 1"/>  <w:LsdException
Locked="false" Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid Accent 1"/>  <w:LsdException
Locked="false" Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1 Accent 1"/>  <w:LsdException
Locked="false" UnhideWhenUsed="false" Name="Revision"/>
<w:LsdException Locked="false" Priority="34" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="List Paragraph"/>
<w:LsdException Locked="false" Priority="29" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Quote"/>
<w:LsdException Locked="false" Priority="30" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Quote"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 1"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 1"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 1"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 1"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 1"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 2"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 2"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 2"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 2"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 2"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2"/>
```

```
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 2"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 2"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 2"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 2"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 3"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 3"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 3"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 3"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 3"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 3"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 3"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 3"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 3"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 4"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 4"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 4"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Medium List 1 Accent 4"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 4"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 4"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 4"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 4"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 4"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 5"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 5"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 5"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 5"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 5"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 5"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 5"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 5"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 5"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 6"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 6"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Light Grid Accent 6"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 6"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 6"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 6"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 6"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 6"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 6"/>
<w:LsdException Locked="false" Priority="19" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis"/>
<w:LsdException Locked="false" Priority="21" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis"/>
<w:LsdException Locked="false" Priority="31" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference"/>
<w:LsdException Locked="false" Priority="32" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Reference"/>
<w:LsdException Locked="false" Priority="33" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Book Title"/>
<w:LsdException Locked="false" Priority="37" Name="Bibliography"/>
<w:LsdException Locked="false" Priority="39" QFormat="true" Name="TOC
Heading"/>
```

</w:LatentStyles></xml><![endif]–><!–[if gte mso 10]> <style> /* Style Definitions */ table.MsoNormalTable {mso-style-name:“Tableau Normal”;

```
mso-tstyle-rowband-size:0;  mso-tstyle-colband-size:0;
mso-style-noshow:yes;   mso-style-priority:99;
mso-style-parent:"";  mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;    mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;  mso-para-margin-left:0cm;
line-height:115%;   mso-pagination:widow-orphan;
font-size:11.0pt;   font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;  mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;  mso-hansi-theme-font:minor-latin;
mso-fareast-language:EN-US;}</style>
```

<![endif]–><span style=“font-size:11.0pt;line-height:115%; font-family:"Calibri","sans-serif";mso-ascii-theme-font:minor-latin;mso-fareast-font-family:Calibri;mso-fareast-theme-font:minor-latin;mso-hansi-theme-font:minor-latin; mso-bidi-font-family:"Times New Roman";mso-bidi-theme-font:minor-bidi;mso-ansi-language:FR;mso-fareast-language:EN-US;mso-bidi-language:AR-SA”>Tonto o

```
                bobo (bête)</span></p>
          </td>
        </tr>
        <tr style="mso-yfti-irow:1">
          <td style="width:230.3pt;border:solid windowtext 1.0pt;
border-top:none;mso-border-top-alt:solid windowtext .5pt;mso-border-
alt:solid windowtext .5pt;  padding:0cm 5.4pt 0cm 5.4pt"
```

```
            valign="top" width="307">
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<o:DocumentProperties> <o:Version>14.00</o:Version> </o:DocumentProperties> <o:OfficeDocumentSettings>

```
<o:AllowPNG/> </o:OfficeDocumentSettings>
```

</xml><![endif]–></p>

```
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<w:WordDocument> <w:View>Normal</w:View>

```
<w:Zoom>0</w:Zoom>  <w:TrackMoves/>
<w:TrackFormatting/>  <w:HyphenationZone>21</w:HyphenationZone>
<w:PunctuationKerning/>  <w:ValidateAgainstSchemas/>
<w:SaveIfXMLInvalid>false</w:SaveIfXMLInvalid>
<w:IgnoreMixedContent>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF/>
<w:LidThemeOther>FR</w:LidThemeOther>  <w:LidThemeAsian>X-
NONE</w:LidThemeAsian>
<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>  <w:Compatibility>
 <w:BreakWrappedTables/>   <w:SnapToGridInCell/>
 <w:WrapTextWithPunct/>   <w:UseAsianBreakRules/>
 <w:DontGrowAutofit/>   <w:SplitPgBreakAndParaMark/>
 <w:EnableOpenTypeKerning/>   <w:DontFlipMirrorIndents/>
 <w:OverrideTableStyleHps/>  </w:Compatibility>
<m:mathPr>   <m:mathFont m:val="Cambria Math"/>
 <m:brkBin m:val="before"/>   <m:brkBinSub m:val="&#45;-"/>
 <m:smallFrac m:val="off"/>   <m:dispDef/>
```

```
 <m:lMargin m:val="0"/>   <m:rMargin m:val="0"/>
 <m:defJc m:val="centerGroup"/>   <m:wrapIndent m:val="1440"/>
 <m:intLim m:val="subSup"/>   <m:naryLim m:val="undOvr"/>
</m:mathPr></w:WordDocument></xml><![endif]--><!--[if gte mso 9]><xml>
```

<w:LatentStyles DefLockedState=“false” DefUnhideWhenUsed=“true” DefSemiHidden=“true” DefQFormat=“false” DefPriority=“99”

```
LatentStyleCount="267">  <w:LsdException Locked="false" Priority="0"
SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Normal"/>  <w:LsdException
Locked="false" Priority="9" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="heading 1"/>  <w:LsdException
Locked="false" Priority="9" QFormat="true" Name="heading 2"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
3"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 4"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
5"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 6"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
7"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 8"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
9"/>  <w:LsdException Locked="false" Priority="39" Name="toc 1"/>
<w:LsdException Locked="false" Priority="39" Name="toc 2"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 3"/>
<w:LsdException Locked="false" Priority="39" Name="toc 4"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 5"/>
<w:LsdException Locked="false" Priority="39" Name="toc 6"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 7"/>
<w:LsdException Locked="false" Priority="39" Name="toc 8"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 9"/>
<w:LsdException Locked="false" Priority="35" QFormat="true" Name="caption"/>
<w:LsdException Locked="false" Priority="10" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Title"/>  <w:LsdException
Locked="false" Priority="1" Name="Default Paragraph Font"/>
<w:LsdException Locked="false" Priority="11" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtitle"/>
<w:LsdException Locked="false" Priority="22" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Strong"/>
<w:LsdException Locked="false" Priority="20" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Emphasis"/>
<w:LsdException Locked="false" Priority="59" SemiHidden="false"
UnhideWhenUsed="false" Name="Table Grid"/>
<w:LsdException Locked="false" UnhideWhenUsed="false" Name="Placeholder
Text"/>  <w:LsdException Locked="false" Priority="1" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="No Spacing"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
```

```
 UnhideWhenUsed="false" Name="Light List"/>  <w:LsdException Locked="false"
Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid"/>  <w:LsdException Locked="false"
Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1"/>  <w:LsdException
Locked="false" Priority="66" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 2"/>  <w:LsdException
Locked="false" Priority="67" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 1"/>  <w:LsdException
Locked="false" Priority="68" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 2"/>  <w:LsdException
Locked="false" Priority="69" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 3"/>  <w:LsdException
Locked="false" Priority="70" SemiHidden="false"
 UnhideWhenUsed="false" Name="Dark List"/>  <w:LsdException Locked="false"
Priority="71" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Shading"/>  <w:LsdException
Locked="false" Priority="72" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful List"/>  <w:LsdException
Locked="false" Priority="73" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Grid"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading Accent 1"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List Accent 1"/>  <w:LsdException
Locked="false" Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid Accent 1"/>  <w:LsdException
Locked="false" Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1 Accent 1"/>  <w:LsdException
Locked="false" UnhideWhenUsed="false" Name="Revision"/>
<w:LsdException Locked="false" Priority="34" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="List Paragraph"/>
<w:LsdException Locked="false" Priority="29" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Quote"/>
<w:LsdException Locked="false" Priority="30" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Quote"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 1"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1"/>
```

```
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 1"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 1"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 1"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 1"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 2"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 2"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 2"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 2"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 2"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 2"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 2"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 2"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 2"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 3"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 3"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 3"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 3"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Medium List 2 Accent 3"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 3"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 3"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 3"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 3"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 4"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 4"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 4"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 4"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 4"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 4"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 4"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 4"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 4"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 5"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 5"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 5"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 5"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 5"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 5"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 5"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 5"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 5"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 6"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 6"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 6"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 6"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 6"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 6"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 6"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 6"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 6"/>
<w:LsdException Locked="false" Priority="19" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis"/>
```

```
<w:LsdException Locked="false" Priority="21" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis"/>
<w:LsdException Locked="false" Priority="31" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference"/>
<w:LsdException Locked="false" Priority="32" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Reference"/>
<w:LsdException Locked="false" Priority="33" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Book Title"/>
<w:LsdException Locked="false" Priority="37" Name="Bibliography"/>
<w:LsdException Locked="false" Priority="39" QFormat="true" Name="TOC
Heading"/>
```

</w:LatentStyles></xml><![endif]–><!–[if gte mso 10]> <style> /* Style Definitions */ table.MsoNormalTable {mso-style-name:“Tableau Normal”;

```
mso-tstyle-rowband-size:0;  mso-tstyle-colband-size:0;
mso-style-noshow:yes;   mso-style-priority:99;
mso-style-parent:"";  mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;    mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;  mso-para-margin-left:0cm;
line-height:115%;   mso-pagination:widow-orphan;
font-size:11.0pt;   font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;  mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;  mso-hansi-theme-font:minor-latin;
mso-fareast-language:EN-US;}</style>
```

<![endif]–><span style=“font-size:11.0pt;line-height:115%; font-family:"Calibri","sans-serif";mso-ascii-theme-font:minor-latin;mso-fareast-font-family:Calibri;mso-fareast-theme-font:minor-latin;mso-hansi-theme-font:minor-latin; mso-bidi-font-family:"Times New Roman";mso-bidi-theme-font:minor-bidi;mso-ansi-language:FR;mso-fareast-language:EN-US;mso-bidi-language:AR-SA”>Simpático/a

```
                (sympathique)</span></p>
          </td>
          <td style="width:230.3pt;border-top:none;border-left:
none;border-bottom:solid windowtext 1.0pt;border-right:solid windowtext
1.0pt;  mso-border-top-alt:solid windowtext .5pt;mso-border-left-alt:solid
windowtext .5pt;
mso-border-alt:solid windowtext .5pt;padding:0cm 5.4pt 0cm 5.4pt"
valign="top"
```

```
            width="307">
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<o:DocumentProperties> <o:Version>14.00</o:Version> </o:DocumentProperties> <o:OfficeDocumentSettings>

```
<o:AllowPNG/> </o:OfficeDocumentSettings>
```

</xml><![endif]–></p>

```
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<w:WordDocument> <w:View>Normal</w:View>

```
<w:Zoom>0</w:Zoom>  <w:TrackMoves/>
<w:TrackFormatting/>  <w:HyphenationZone>21</w:HyphenationZone>
<w:PunctuationKerning/>  <w:ValidateAgainstSchemas/>
<w:SaveIfXMLInvalid>false</w:SaveIfXMLInvalid>
<w:IgnoreMixedContent>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF/>
<w:LidThemeOther>FR</w:LidThemeOther>  <w:LidThemeAsian>X-
NONE</w:LidThemeAsian>
<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>  <w:Compatibility>
 <w:BreakWrappedTables/>   <w:SnapToGridInCell/>
 <w:WrapTextWithPunct/>   <w:UseAsianBreakRules/>
 <w:DontGrowAutofit/>   <w:SplitPgBreakAndParaMark/>
 <w:EnableOpenTypeKerning/>   <w:DontFlipMirrorIndents/>
 <w:OverrideTableStyleHps/>  </w:Compatibility>
<m:mathPr>   <m:mathFont m:val="Cambria Math"/>
 <m:brkBin m:val="before"/>   <m:brkBinSub m:val="&#45;-"/>
 <m:smallFrac m:val="off"/>   <m:dispDef/>
 <m:lMargin m:val="0"/>   <m:rMargin m:val="0"/>
 <m:defJc m:val="centerGroup"/>   <m:wrapIndent m:val="1440"/>
 <m:intLim m:val="subSup"/>   <m:naryLim m:val="undOvr"/>
</m:mathPr></w:WordDocument></xml><![endif]--><!--[if gte mso 9]><xml>
```

<w:LatentStyles DefLockedState=“false” DefUnhideWhenUsed=“true” DefSemiHidden=“true” DefQFormat=“false” DefPriority=“99”

```
LatentStyleCount="267">  <w:LsdException Locked="false" Priority="0"
SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Normal"/>  <w:LsdException
Locked="false" Priority="9" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="heading 1"/>  <w:LsdException
Locked="false" Priority="9" QFormat="true" Name="heading 2"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
3"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 4"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
5"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 6"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
7"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 8"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
9"/>  <w:LsdException Locked="false" Priority="39" Name="toc 1"/>
```

```
<w:LsdException Locked="false" Priority="39" Name="toc 2"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 3"/>
<w:LsdException Locked="false" Priority="39" Name="toc 4"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 5"/>
<w:LsdException Locked="false" Priority="39" Name="toc 6"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 7"/>
<w:LsdException Locked="false" Priority="39" Name="toc 8"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 9"/>
<w:LsdException Locked="false" Priority="35" QFormat="true" Name="caption"/>
<w:LsdException Locked="false" Priority="10" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Title"/>  <w:LsdException
Locked="false" Priority="1" Name="Default Paragraph Font"/>
<w:LsdException Locked="false" Priority="11" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtitle"/>
<w:LsdException Locked="false" Priority="22" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Strong"/>
<w:LsdException Locked="false" Priority="20" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Emphasis"/>
<w:LsdException Locked="false" Priority="59" SemiHidden="false"
UnhideWhenUsed="false" Name="Table Grid"/>
<w:LsdException Locked="false" UnhideWhenUsed="false" Name="Placeholder
Text"/>  <w:LsdException Locked="false" Priority="1" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="No Spacing"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List"/>  <w:LsdException Locked="false"
Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid"/>  <w:LsdException Locked="false"
Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1"/>  <w:LsdException
Locked="false" Priority="66" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 2"/>  <w:LsdException
Locked="false" Priority="67" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 1"/>  <w:LsdException
Locked="false" Priority="68" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 2"/>  <w:LsdException
Locked="false" Priority="69" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 3"/>  <w:LsdException
Locked="false" Priority="70" SemiHidden="false"
 UnhideWhenUsed="false" Name="Dark List"/>  <w:LsdException Locked="false"
Priority="71" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Shading"/>  <w:LsdException
Locked="false" Priority="72" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful List"/>  <w:LsdException
Locked="false" Priority="73" SemiHidden="false"
```

```
 UnhideWhenUsed="false" Name="Colorful Grid"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading Accent 1"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List Accent 1"/>  <w:LsdException
Locked="false" Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid Accent 1"/>  <w:LsdException
Locked="false" Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1 Accent 1"/>  <w:LsdException
Locked="false" UnhideWhenUsed="false" Name="Revision"/>
<w:LsdException Locked="false" Priority="34" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="List Paragraph"/>
<w:LsdException Locked="false" Priority="29" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Quote"/>
<w:LsdException Locked="false" Priority="30" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Quote"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 1"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 1"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 1"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 1"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 1"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 2"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 2"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 2"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 2"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 2"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 2"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 2"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 2"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 2"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 3"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 3"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 3"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 3"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 3"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 3"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 3"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 3"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 3"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 4"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 4"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 4"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 4"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 4"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 4"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 4"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 4"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 4"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 5"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 5"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 5"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 5"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 5"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 5"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 5"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 5"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 5"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 6"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 6"/>
```

```
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 6"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 6"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 6"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 6"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 6"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 6"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 6"/>
<w:LsdException Locked="false" Priority="19" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis"/>
<w:LsdException Locked="false" Priority="21" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis"/>
<w:LsdException Locked="false" Priority="31" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference"/>
<w:LsdException Locked="false" Priority="32" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Reference"/>
<w:LsdException Locked="false" Priority="33" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Book Title"/>
<w:LsdException Locked="false" Priority="37" Name="Bibliography"/>
<w:LsdException Locked="false" Priority="39" QFormat="true" Name="TOC
Heading"/>
```

</w:LatentStyles></xml><![endif]–><!–[if gte mso 10]> <style> /* Style Definitions */ table.MsoNormalTable {mso-style-name:“Tableau Normal”;

```
mso-tstyle-rowband-size:0;  mso-tstyle-colband-size:0;
mso-style-noshow:yes;   mso-style-priority:99;
mso-style-parent:"";  mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;    mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;  mso-para-margin-left:0cm;
line-height:115%;   mso-pagination:widow-orphan;
font-size:11.0pt;   font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;  mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;  mso-hansi-theme-font:minor-latin;
```

```
mso-fareast-language:EN-US;}</style>
```

<![endif]–><span style=“font-size:11.0pt;line-height:115%; font-family:"Calibri","sans-serif";mso-ascii-theme-font:minor-latin;mso-fareast-font-family:Calibri;mso-fareast-theme-font:minor-latin;mso-hansi-theme-font:minor-latin; mso-bidi-font-family:"Times New Roman";mso-bidi-theme-font:minor-bidi;mso-ansi-language:FR;mso-fareast-language:EN-US;mso-bidi-language:AR-SA”>Antipático/a

```
                (antipathique)</span></p>
          </td>
        </tr>
        <tr style="mso-yfti-irow:2">
          <td style="width:230.3pt;border:solid windowtext 1.0pt;
border-top:none;mso-border-top-alt:solid windowtext .5pt;mso-border-
alt:solid windowtext .5pt;  padding:0cm 5.4pt 0cm 5.4pt"
```

```
            valign="top" width="307">
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<o:DocumentProperties> <o:Version>14.00</o:Version> </o:DocumentProperties> <o:OfficeDocumentSettings>

```
<o:AllowPNG/> </o:OfficeDocumentSettings>
```

</xml><![endif]–></p>

```
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<w:WordDocument> <w:View>Normal</w:View>

```
<w:Zoom>0</w:Zoom>  <w:TrackMoves/>
<w:TrackFormatting/>  <w:HyphenationZone>21</w:HyphenationZone>
<w:PunctuationKerning/>  <w:ValidateAgainstSchemas/>
<w:SaveIfXMLInvalid>false</w:SaveIfXMLInvalid>
<w:IgnoreMixedContent>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF/>
<w:LidThemeOther>FR</w:LidThemeOther>  <w:LidThemeAsian>X-
NONE</w:LidThemeAsian>
<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>  <w:Compatibility>
 <w:BreakWrappedTables/>   <w:SnapToGridInCell/>
 <w:WrapTextWithPunct/>   <w:UseAsianBreakRules/>
 <w:DontGrowAutofit/>   <w:SplitPgBreakAndParaMark/>
 <w:EnableOpenTypeKerning/>   <w:DontFlipMirrorIndents/>
 <w:OverrideTableStyleHps/>  </w:Compatibility>
<m:mathPr>   <m:mathFont m:val="Cambria Math"/>
```

```
 <m:brkBin m:val="before"/>   <m:brkBinSub m:val="&#45;-"/>
 <m:smallFrac m:val="off"/>   <m:dispDef/>
 <m:lMargin m:val="0"/>   <m:rMargin m:val="0"/>
 <m:defJc m:val="centerGroup"/>   <m:wrapIndent m:val="1440"/>
 <m:intLim m:val="subSup"/>   <m:naryLim m:val="undOvr"/>
</m:mathPr></w:WordDocument></xml><![endif]--><!--[if gte mso 9]><xml>
```

<w:LatentStyles DefLockedState=“false” DefUnhideWhenUsed=“true” DefSemiHidden=“true” DefQFormat=“false” DefPriority=“99”

```
LatentStyleCount="267">  <w:LsdException Locked="false" Priority="0"
SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Normal"/>  <w:LsdException
Locked="false" Priority="9" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="heading 1"/>  <w:LsdException
Locked="false" Priority="9" QFormat="true" Name="heading 2"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
3"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 4"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
5"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 6"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
7"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 8"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
9"/>  <w:LsdException Locked="false" Priority="39" Name="toc 1"/>
<w:LsdException Locked="false" Priority="39" Name="toc 2"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 3"/>
<w:LsdException Locked="false" Priority="39" Name="toc 4"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 5"/>
<w:LsdException Locked="false" Priority="39" Name="toc 6"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 7"/>
<w:LsdException Locked="false" Priority="39" Name="toc 8"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 9"/>
<w:LsdException Locked="false" Priority="35" QFormat="true" Name="caption"/>
<w:LsdException Locked="false" Priority="10" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Title"/>  <w:LsdException
Locked="false" Priority="1" Name="Default Paragraph Font"/>
<w:LsdException Locked="false" Priority="11" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtitle"/>
<w:LsdException Locked="false" Priority="22" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Strong"/>
<w:LsdException Locked="false" Priority="20" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Emphasis"/>
<w:LsdException Locked="false" Priority="59" SemiHidden="false"
UnhideWhenUsed="false" Name="Table Grid"/>
<w:LsdException Locked="false" UnhideWhenUsed="false" Name="Placeholder
Text"/>  <w:LsdException Locked="false" Priority="1" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="No Spacing"/>  <w:LsdException
```

```
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List"/>  <w:LsdException Locked="false"
Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid"/>  <w:LsdException Locked="false"
Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1"/>  <w:LsdException
Locked="false" Priority="66" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 2"/>  <w:LsdException
Locked="false" Priority="67" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 1"/>  <w:LsdException
Locked="false" Priority="68" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 2"/>  <w:LsdException
Locked="false" Priority="69" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 3"/>  <w:LsdException
Locked="false" Priority="70" SemiHidden="false"
 UnhideWhenUsed="false" Name="Dark List"/>  <w:LsdException Locked="false"
Priority="71" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Shading"/>  <w:LsdException
Locked="false" Priority="72" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful List"/>  <w:LsdException
Locked="false" Priority="73" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Grid"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading Accent 1"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List Accent 1"/>  <w:LsdException
Locked="false" Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid Accent 1"/>  <w:LsdException
Locked="false" Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1 Accent 1"/>  <w:LsdException
Locked="false" UnhideWhenUsed="false" Name="Revision"/>
<w:LsdException Locked="false" Priority="34" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="List Paragraph"/>
<w:LsdException Locked="false" Priority="29" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Quote"/>
<w:LsdException Locked="false" Priority="30" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Quote"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 1"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1"/>
```

```
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 1"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 1"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 1"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 1"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 2"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 2"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 2"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 2"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 2"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 2"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 2"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 2"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 2"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 3"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 3"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 3"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3"/>
```

```
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 3"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 3"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 3"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 3"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 3"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 3"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 4"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 4"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 4"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 4"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 4"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 4"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 4"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 4"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 4"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 5"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 5"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Light Grid Accent 5"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 5"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 5"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 5"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 5"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 5"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 5"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 6"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 6"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 6"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 6"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 6"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 6"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 6"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 6"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Colorful Grid Accent 6"/>
<w:LsdException Locked="false" Priority="19" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis"/>
<w:LsdException Locked="false" Priority="21" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis"/>
<w:LsdException Locked="false" Priority="31" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference"/>
<w:LsdException Locked="false" Priority="32" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Reference"/>
<w:LsdException Locked="false" Priority="33" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Book Title"/>
<w:LsdException Locked="false" Priority="37" Name="Bibliography"/>
<w:LsdException Locked="false" Priority="39" QFormat="true" Name="TOC
Heading"/>
```

</w:LatentStyles></xml><![endif]–><!–[if gte mso 10]> <style> /* Style Definitions */ table.MsoNormalTable {mso-style-name:“Tableau Normal”;

```
mso-tstyle-rowband-size:0;  mso-tstyle-colband-size:0;
mso-style-noshow:yes;   mso-style-priority:99;
mso-style-parent:"";  mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;    mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;  mso-para-margin-left:0cm;
line-height:115%;   mso-pagination:widow-orphan;
font-size:11.0pt;   font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;  mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;  mso-hansi-theme-font:minor-latin;
mso-fareast-language:EN-US;}</style>
```

<![endif]–><span style=“font-size:11.0pt;line-height:115%; font-family:"Calibri","sans-serif";mso-ascii-theme-font:minor-latin;mso-fareast-font-family:Calibri;mso-fareast-theme-font:minor-latin;mso-hansi-theme-font:minor-latin; mso-bidi-font-family:"Times New Roman";mso-bidi-theme-font:minor-bidi;mso-ansi-language:FR;mso-fareast-language:EN-US;mso-bidi-language:AR-SA”>Bueno/a

```
                (gentil/le)</span></p>
          </td>
          <td style="width:230.3pt;border-top:none;border-left:
none;border-bottom:solid windowtext 1.0pt;border-right:solid windowtext
1.0pt;  mso-border-top-alt:solid windowtext .5pt;mso-border-left-alt:solid
windowtext .5pt;
mso-border-alt:solid windowtext .5pt;padding:0cm 5.4pt 0cm 5.4pt"
valign="top"
```

```
            width="307">
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<o:DocumentProperties> <o:Version>14.00</o:Version> </o:DocumentProperties> <o:OfficeDocumentSettings>

```
<o:AllowPNG/> </o:OfficeDocumentSettings>
```

</xml><![endif]–></p>

```
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<w:WordDocument> <w:View>Normal</w:View>

```
<w:Zoom>0</w:Zoom>  <w:TrackMoves/>
<w:TrackFormatting/>  <w:HyphenationZone>21</w:HyphenationZone>
<w:PunctuationKerning/>  <w:ValidateAgainstSchemas/>
<w:SaveIfXMLInvalid>false</w:SaveIfXMLInvalid>
<w:IgnoreMixedContent>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF/>
<w:LidThemeOther>FR</w:LidThemeOther>  <w:LidThemeAsian>X-
NONE</w:LidThemeAsian>
<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>  <w:Compatibility>
 <w:BreakWrappedTables/>   <w:SnapToGridInCell/>
 <w:WrapTextWithPunct/>   <w:UseAsianBreakRules/>
 <w:DontGrowAutofit/>   <w:SplitPgBreakAndParaMark/>
 <w:EnableOpenTypeKerning/>   <w:DontFlipMirrorIndents/>
 <w:OverrideTableStyleHps/>  </w:Compatibility>
<m:mathPr>   <m:mathFont m:val="Cambria Math"/>
 <m:brkBin m:val="before"/>   <m:brkBinSub m:val="&#45;-"/>
 <m:smallFrac m:val="off"/>   <m:dispDef/>
 <m:lMargin m:val="0"/>   <m:rMargin m:val="0"/>
 <m:defJc m:val="centerGroup"/>   <m:wrapIndent m:val="1440"/>
 <m:intLim m:val="subSup"/>   <m:naryLim m:val="undOvr"/>
</m:mathPr></w:WordDocument></xml><![endif]--><!--[if gte mso 9]><xml>
```

<w:LatentStyles DefLockedState=“false” DefUnhideWhenUsed=“true” DefSemiHidden=“true” DefQFormat=“false” DefPriority=“99”

```
LatentStyleCount="267">  <w:LsdException Locked="false" Priority="0"
SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Normal"/>  <w:LsdException
Locked="false" Priority="9" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="heading 1"/>  <w:LsdException
Locked="false" Priority="9" QFormat="true" Name="heading 2"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
3"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 4"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
5"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 6"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
7"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
```

```
Name="heading 8"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
9"/>  <w:LsdException Locked="false" Priority="39" Name="toc 1"/>
<w:LsdException Locked="false" Priority="39" Name="toc 2"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 3"/>
<w:LsdException Locked="false" Priority="39" Name="toc 4"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 5"/>
<w:LsdException Locked="false" Priority="39" Name="toc 6"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 7"/>
<w:LsdException Locked="false" Priority="39" Name="toc 8"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 9"/>
<w:LsdException Locked="false" Priority="35" QFormat="true" Name="caption"/>
<w:LsdException Locked="false" Priority="10" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Title"/>  <w:LsdException
Locked="false" Priority="1" Name="Default Paragraph Font"/>
<w:LsdException Locked="false" Priority="11" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtitle"/>
<w:LsdException Locked="false" Priority="22" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Strong"/>
<w:LsdException Locked="false" Priority="20" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Emphasis"/>
<w:LsdException Locked="false" Priority="59" SemiHidden="false"
UnhideWhenUsed="false" Name="Table Grid"/>
<w:LsdException Locked="false" UnhideWhenUsed="false" Name="Placeholder
Text"/>  <w:LsdException Locked="false" Priority="1" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="No Spacing"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List"/>  <w:LsdException Locked="false"
Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid"/>  <w:LsdException Locked="false"
Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1"/>  <w:LsdException
Locked="false" Priority="66" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 2"/>  <w:LsdException
Locked="false" Priority="67" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 1"/>  <w:LsdException
Locked="false" Priority="68" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 2"/>  <w:LsdException
Locked="false" Priority="69" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 3"/>  <w:LsdException
Locked="false" Priority="70" SemiHidden="false"
 UnhideWhenUsed="false" Name="Dark List"/>  <w:LsdException Locked="false"
Priority="71" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Shading"/>  <w:LsdException
Locked="false" Priority="72" SemiHidden="false"
```

```
 UnhideWhenUsed="false" Name="Colorful List"/>  <w:LsdException
Locked="false" Priority="73" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Grid"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading Accent 1"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List Accent 1"/>  <w:LsdException
Locked="false" Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid Accent 1"/>  <w:LsdException
Locked="false" Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1 Accent 1"/>  <w:LsdException
Locked="false" UnhideWhenUsed="false" Name="Revision"/>
<w:LsdException Locked="false" Priority="34" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="List Paragraph"/>
<w:LsdException Locked="false" Priority="29" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Quote"/>
<w:LsdException Locked="false" Priority="30" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Quote"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 1"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 1"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 1"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 1"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 1"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 2"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 2"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 2"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 2"/>
```

```
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 2"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 2"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 2"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 2"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 2"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 3"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 3"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 3"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 3"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 3"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 3"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 3"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 3"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 3"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 4"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 4"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 4"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 4"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 4"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 4"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 4"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 4"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 4"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 5"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 5"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 5"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 5"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 5"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 5"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 5"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 5"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 5"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Light Shading Accent 6"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 6"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 6"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 6"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 6"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 6"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 6"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 6"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 6"/>
<w:LsdException Locked="false" Priority="19" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis"/>
<w:LsdException Locked="false" Priority="21" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis"/>
<w:LsdException Locked="false" Priority="31" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference"/>
<w:LsdException Locked="false" Priority="32" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Reference"/>
<w:LsdException Locked="false" Priority="33" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Book Title"/>
<w:LsdException Locked="false" Priority="37" Name="Bibliography"/>
<w:LsdException Locked="false" Priority="39" QFormat="true" Name="TOC
Heading"/>
```

</w:LatentStyles></xml><![endif]–><!–[if gte mso 10]> <style> /* Style Definitions */ table.MsoNormalTable {mso-style-name:“Tableau Normal”;

```
mso-tstyle-rowband-size:0;  mso-tstyle-colband-size:0;
mso-style-noshow:yes;   mso-style-priority:99;
mso-style-parent:"";  mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;    mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;  mso-para-margin-left:0cm;
line-height:115%;   mso-pagination:widow-orphan;
font-size:11.0pt;   font-family:"Calibri","sans-serif";
```

```
mso-ascii-font-family:Calibri;  mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;  mso-hansi-theme-font:minor-latin;
mso-fareast-language:EN-US;}</style>
```

<![endif]–><span style=“font-size:11.0pt;line-height:115%; font-family:"Calibri","sans-serif";mso-ascii-theme-font:minor-latin;mso-fareast-font-family:Calibri;mso-fareast-theme-font:minor-latin;mso-hansi-theme-font:minor-latin; mso-bidi-font-family:"Times New Roman";mso-bidi-theme-font:minor-bidi;mso-ansi-language:FR;mso-fareast-language:EN-US;mso-bidi-language:AR-SA”>Malo/a

```
                (méchant/e)</span></p>
          </td>
        </tr>
        <tr style="mso-yfti-irow:3;mso-yfti-lastrow:yes">
          <td style="width:230.3pt;border:solid windowtext 1.0pt;
border-top:none;mso-border-top-alt:solid windowtext .5pt;mso-border-
alt:solid windowtext .5pt;  padding:0cm 5.4pt 0cm 5.4pt"
```

```
            valign="top" width="307">
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<o:DocumentProperties> <o:Version>14.00</o:Version> </o:DocumentProperties> <o:OfficeDocumentSettings>

```
<o:AllowPNG/> </o:OfficeDocumentSettings>
```

</xml><![endif]–></p>

```
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<w:WordDocument> <w:View>Normal</w:View>

```
<w:Zoom>0</w:Zoom>  <w:TrackMoves/>
<w:TrackFormatting/>  <w:HyphenationZone>21</w:HyphenationZone>
<w:PunctuationKerning/>  <w:ValidateAgainstSchemas/>
<w:SaveIfXMLInvalid>false</w:SaveIfXMLInvalid>
<w:IgnoreMixedContent>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF/>
<w:LidThemeOther>FR</w:LidThemeOther>  <w:LidThemeAsian>X-
NONE</w:LidThemeAsian>
<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>  <w:Compatibility>
 <w:BreakWrappedTables/>   <w:SnapToGridInCell/>
 <w:WrapTextWithPunct/>   <w:UseAsianBreakRules/>
 <w:DontGrowAutofit/>   <w:SplitPgBreakAndParaMark/>
 <w:EnableOpenTypeKerning/>   <w:DontFlipMirrorIndents/>
```

```
 <w:OverrideTableStyleHps/>  </w:Compatibility>
<m:mathPr>   <m:mathFont m:val="Cambria Math"/>
 <m:brkBin m:val="before"/>   <m:brkBinSub m:val="&#45;-"/>
 <m:smallFrac m:val="off"/>   <m:dispDef/>
 <m:lMargin m:val="0"/>   <m:rMargin m:val="0"/>
 <m:defJc m:val="centerGroup"/>   <m:wrapIndent m:val="1440"/>
 <m:intLim m:val="subSup"/>   <m:naryLim m:val="undOvr"/>
</m:mathPr></w:WordDocument></xml><![endif]--><!--[if gte mso 9]><xml>
```

<w:LatentStyles DefLockedState=“false” DefUnhideWhenUsed=“true” DefSemiHidden=“true” DefQFormat=“false” DefPriority=“99”

```
LatentStyleCount="267">  <w:LsdException Locked="false" Priority="0"
SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Normal"/>  <w:LsdException
Locked="false" Priority="9" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="heading 1"/>  <w:LsdException
Locked="false" Priority="9" QFormat="true" Name="heading 2"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
3"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 4"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
5"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 6"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
7"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 8"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
9"/>  <w:LsdException Locked="false" Priority="39" Name="toc 1"/>
<w:LsdException Locked="false" Priority="39" Name="toc 2"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 3"/>
<w:LsdException Locked="false" Priority="39" Name="toc 4"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 5"/>
<w:LsdException Locked="false" Priority="39" Name="toc 6"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 7"/>
<w:LsdException Locked="false" Priority="39" Name="toc 8"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 9"/>
<w:LsdException Locked="false" Priority="35" QFormat="true" Name="caption"/>
<w:LsdException Locked="false" Priority="10" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Title"/>  <w:LsdException
Locked="false" Priority="1" Name="Default Paragraph Font"/>
<w:LsdException Locked="false" Priority="11" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtitle"/>
<w:LsdException Locked="false" Priority="22" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Strong"/>
<w:LsdException Locked="false" Priority="20" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Emphasis"/>
<w:LsdException Locked="false" Priority="59" SemiHidden="false"
UnhideWhenUsed="false" Name="Table Grid"/>
<w:LsdException Locked="false" UnhideWhenUsed="false" Name="Placeholder
Text"/>  <w:LsdException Locked="false" Priority="1" SemiHidden="false"
```

```
 UnhideWhenUsed="false" QFormat="true" Name="No Spacing"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List"/>  <w:LsdException Locked="false"
Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid"/>  <w:LsdException Locked="false"
Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1"/>  <w:LsdException
Locked="false" Priority="66" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 2"/>  <w:LsdException
Locked="false" Priority="67" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 1"/>  <w:LsdException
Locked="false" Priority="68" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 2"/>  <w:LsdException
Locked="false" Priority="69" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 3"/>  <w:LsdException
Locked="false" Priority="70" SemiHidden="false"
 UnhideWhenUsed="false" Name="Dark List"/>  <w:LsdException Locked="false"
Priority="71" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Shading"/>  <w:LsdException
Locked="false" Priority="72" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful List"/>  <w:LsdException
Locked="false" Priority="73" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Grid"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading Accent 1"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List Accent 1"/>  <w:LsdException
Locked="false" Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid Accent 1"/>  <w:LsdException
Locked="false" Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1 Accent 1"/>  <w:LsdException
Locked="false" UnhideWhenUsed="false" Name="Revision"/>
<w:LsdException Locked="false" Priority="34" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="List Paragraph"/>
<w:LsdException Locked="false" Priority="29" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Quote"/>
<w:LsdException Locked="false" Priority="30" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Quote"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 1"/>
```

```
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 1"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 1"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 1"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 1"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 2"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 2"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 2"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 2"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 2"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 2"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 2"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 2"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 2"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 3"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 3"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 3"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 3"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 3"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 3"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 3"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 3"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 3"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 4"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 4"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 4"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 4"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 4"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 4"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 4"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 4"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 4"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 5"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Light List Accent 5"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 5"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 5"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 5"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 5"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 5"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 5"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 5"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 6"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 6"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 6"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 6"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 6"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 6"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 6"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 6"/>
```

```
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 6"/>
<w:LsdException Locked="false" Priority="19" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis"/>
<w:LsdException Locked="false" Priority="21" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis"/>
<w:LsdException Locked="false" Priority="31" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference"/>
<w:LsdException Locked="false" Priority="32" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Reference"/>
<w:LsdException Locked="false" Priority="33" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Book Title"/>
<w:LsdException Locked="false" Priority="37" Name="Bibliography"/>
<w:LsdException Locked="false" Priority="39" QFormat="true" Name="TOC
Heading"/>
```

</w:LatentStyles></xml><![endif]–><!–[if gte mso 10]> <style> /* Style Definitions */ table.MsoNormalTable {mso-style-name:“Tableau Normal”;

```
mso-tstyle-rowband-size:0;  mso-tstyle-colband-size:0;
mso-style-noshow:yes;   mso-style-priority:99;
mso-style-parent:"";  mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;    mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;  mso-para-margin-left:0cm;
line-height:115%;   mso-pagination:widow-orphan;
font-size:11.0pt;   font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;  mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;  mso-hansi-theme-font:minor-latin;
mso-fareast-language:EN-US;}</style>
```

<![endif]–><span style=“font-size:11.0pt;line-height:115%; font-family:"Calibri","sans-serif";mso-ascii-theme-font:minor-latin;mso-fareast-font-family:Calibri;mso-fareast-theme-font:minor-latin;mso-hansi-theme-font:minor-latin; mso-bidi-font-family:"Times New Roman";mso-bidi-theme-font:minor-bidi;mso-ansi-language:FR;mso-fareast-language:EN-US;mso-bidi-language:AR-SA”>Serio/a

```
                (sérieux/euse)</span></p>
          </td>
          <td style="width:230.3pt;border-top:none;border-left:
none;border-bottom:solid windowtext 1.0pt;border-right:solid windowtext
1.0pt;  mso-border-top-alt:solid windowtext .5pt;mso-border-left-alt:solid
windowtext .5pt;
mso-border-alt:solid windowtext .5pt;padding:0cm 5.4pt 0cm 5.4pt"
valign="top"
```

```
            width="307">
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<o:DocumentProperties> <o:Version>14.00</o:Version> </o:DocumentProperties>
<o:OfficeDocumentSettings>

```
<o:AllowPNG/> </o:OfficeDocumentSettings>
```

</xml><![endif]–></p>

```
            <p class="MsoNormal" style="margin-bottom:6.0pt;text-
align:center;
line-height:115%" align="center"><!--[if gte mso 9]><xml>
```

<w:WordDocument> <w:View>Normal</w:View>

```
<w:Zoom>0</w:Zoom>  <w:TrackMoves/>
<w:TrackFormatting/>  <w:HyphenationZone>21</w:HyphenationZone>
<w:PunctuationKerning/>  <w:ValidateAgainstSchemas/>
<w:SaveIfXMLInvalid>false</w:SaveIfXMLInvalid>
<w:IgnoreMixedContent>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF/>
<w:LidThemeOther>FR</w:LidThemeOther>  <w:LidThemeAsian>X-
NONE</w:LidThemeAsian>
<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>  <w:Compatibility>
 <w:BreakWrappedTables/>   <w:SnapToGridInCell/>
 <w:WrapTextWithPunct/>   <w:UseAsianBreakRules/>
 <w:DontGrowAutofit/>   <w:SplitPgBreakAndParaMark/>
 <w:EnableOpenTypeKerning/>   <w:DontFlipMirrorIndents/>
 <w:OverrideTableStyleHps/>  </w:Compatibility>
<m:mathPr>   <m:mathFont m:val="Cambria Math"/>
 <m:brkBin m:val="before"/>   <m:brkBinSub m:val="&#45;-"/>
 <m:smallFrac m:val="off"/>   <m:dispDef/>
 <m:lMargin m:val="0"/>   <m:rMargin m:val="0"/>
 <m:defJc m:val="centerGroup"/>   <m:wrapIndent m:val="1440"/>
 <m:intLim m:val="subSup"/>   <m:naryLim m:val="undOvr"/>
</m:mathPr></w:WordDocument></xml><![endif]--><!--[if gte mso 9]><xml>
```

<w:LatentStyles DefLockedState=“false” DefUnhideWhenUsed=“true” DefSemiHidden=“true” DefQFormat=“false” DefPriority=“99”

```
LatentStyleCount="267">  <w:LsdException Locked="false" Priority="0"
SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Normal"/>  <w:LsdException
Locked="false" Priority="9" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="heading 1"/>  <w:LsdException
Locked="false" Priority="9" QFormat="true" Name="heading 2"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
3"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 4"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
5"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
```

```
Name="heading 6"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
7"/>  <w:LsdException Locked="false" Priority="9" QFormat="true"
Name="heading 8"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading
9"/>  <w:LsdException Locked="false" Priority="39" Name="toc 1"/>
<w:LsdException Locked="false" Priority="39" Name="toc 2"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 3"/>
<w:LsdException Locked="false" Priority="39" Name="toc 4"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 5"/>
<w:LsdException Locked="false" Priority="39" Name="toc 6"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 7"/>
<w:LsdException Locked="false" Priority="39" Name="toc 8"/>  <w:LsdException
Locked="false" Priority="39" Name="toc 9"/>
<w:LsdException Locked="false" Priority="35" QFormat="true" Name="caption"/>
<w:LsdException Locked="false" Priority="10" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="Title"/>  <w:LsdException
Locked="false" Priority="1" Name="Default Paragraph Font"/>
<w:LsdException Locked="false" Priority="11" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtitle"/>
<w:LsdException Locked="false" Priority="22" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Strong"/>
<w:LsdException Locked="false" Priority="20" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Emphasis"/>
<w:LsdException Locked="false" Priority="59" SemiHidden="false"
UnhideWhenUsed="false" Name="Table Grid"/>
<w:LsdException Locked="false" UnhideWhenUsed="false" Name="Placeholder
Text"/>  <w:LsdException Locked="false" Priority="1" SemiHidden="false"
 UnhideWhenUsed="false" QFormat="true" Name="No Spacing"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List"/>  <w:LsdException Locked="false"
Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid"/>  <w:LsdException Locked="false"
Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1"/>  <w:LsdException
Locked="false" Priority="66" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 2"/>  <w:LsdException
Locked="false" Priority="67" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 1"/>  <w:LsdException
Locked="false" Priority="68" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 2"/>  <w:LsdException
Locked="false" Priority="69" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Grid 3"/>  <w:LsdException
Locked="false" Priority="70" SemiHidden="false"
```

```
 UnhideWhenUsed="false" Name="Dark List"/>  <w:LsdException Locked="false"
Priority="71" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Shading"/>  <w:LsdException
Locked="false" Priority="72" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful List"/>  <w:LsdException
Locked="false" Priority="73" SemiHidden="false"
 UnhideWhenUsed="false" Name="Colorful Grid"/>  <w:LsdException
Locked="false" Priority="60" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Shading Accent 1"/>  <w:LsdException
Locked="false" Priority="61" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light List Accent 1"/>  <w:LsdException
Locked="false" Priority="62" SemiHidden="false"
 UnhideWhenUsed="false" Name="Light Grid Accent 1"/>  <w:LsdException
Locked="false" Priority="63" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1"/>  <w:LsdException
Locked="false" Priority="64" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1"/>  <w:LsdException
Locked="false" Priority="65" SemiHidden="false"
 UnhideWhenUsed="false" Name="Medium List 1 Accent 1"/>  <w:LsdException
Locked="false" UnhideWhenUsed="false" Name="Revision"/>
<w:LsdException Locked="false" Priority="34" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="List Paragraph"/>
<w:LsdException Locked="false" Priority="29" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Quote"/>
<w:LsdException Locked="false" Priority="30" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Quote"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 1"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 1"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 1"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 1"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 1"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 2"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 2"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 2"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 2"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 2"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 2"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 2"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 2"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 2"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 3"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 3"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 3"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 3"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 3"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 3"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 3"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 3"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 3"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 4"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
```

```
UnhideWhenUsed="false" Name="Light List Accent 4"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 4"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 4"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 4"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 4"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 4"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 4"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 4"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 5"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 5"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 5"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 5"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 5"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 5"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 5"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 5"/>
```

```
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 5"/>
<w:LsdException Locked="false" Priority="60" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Shading Accent 6"/>
<w:LsdException Locked="false" Priority="61" SemiHidden="false"
UnhideWhenUsed="false" Name="Light List Accent 6"/>
<w:LsdException Locked="false" Priority="62" SemiHidden="false"
UnhideWhenUsed="false" Name="Light Grid Accent 6"/>
<w:LsdException Locked="false" Priority="63" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6"/>
<w:LsdException Locked="false" Priority="64" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6"/>
<w:LsdException Locked="false" Priority="65" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 1 Accent 6"/>
<w:LsdException Locked="false" Priority="66" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium List 2 Accent 6"/>
<w:LsdException Locked="false" Priority="67" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6"/>
<w:LsdException Locked="false" Priority="68" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6"/>
<w:LsdException Locked="false" Priority="69" SemiHidden="false"
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6"/>
<w:LsdException Locked="false" Priority="70" SemiHidden="false"
UnhideWhenUsed="false" Name="Dark List Accent 6"/>
<w:LsdException Locked="false" Priority="71" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Shading Accent 6"/>
<w:LsdException Locked="false" Priority="72" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful List Accent 6"/>
<w:LsdException Locked="false" Priority="73" SemiHidden="false"
UnhideWhenUsed="false" Name="Colorful Grid Accent 6"/>
<w:LsdException Locked="false" Priority="19" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis"/>
<w:LsdException Locked="false" Priority="21" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis"/>
<w:LsdException Locked="false" Priority="31" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference"/>
<w:LsdException Locked="false" Priority="32" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Intense Reference"/>
<w:LsdException Locked="false" Priority="33" SemiHidden="false"
UnhideWhenUsed="false" QFormat="true" Name="Book Title"/>
<w:LsdException Locked="false" Priority="37" Name="Bibliography"/>
<w:LsdException Locked="false" Priority="39" QFormat="true" Name="TOC
Heading"/>
```

</w:LatentStyles></xml><![endif]–><!–[if gte mso 10]> <style> /* Style Definitions */ table.MsoNormalTable {mso-style-name:“Tableau Normal”;

```
mso-tstyle-rowband-size:0;  mso-tstyle-colband-size:0;
mso-style-noshow:yes;   mso-style-priority:99;
mso-style-parent:"";  mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
```

```
mso-para-margin-top:0cm;    mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;  mso-para-margin-left:0cm;
line-height:115%;   mso-pagination:widow-orphan;
font-size:11.0pt;   font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;  mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;  mso-hansi-theme-font:minor-latin;
mso-fareast-language:EN-US;}</style>
```

<![endif]–><span style=“font-size:11.0pt;line-height:115%; font-family:"Calibri","sans-serif";mso-ascii-theme-font:minor-latin;mso-fareast-font-family:Calibri;mso-fareast-theme-font:minor-latin;mso-hansi-theme-font:minor-latin; mso-bidi-font-family:"Times New Roman";mso-bidi-theme-font:minor-bidi;mso-ansi-language:FR;mso-fareast-language:EN-US;mso-bidi-language:AR-SA”>Gracioso/a (drôle

```
                ou marrant/e)</span></p>
          </td>
        </tr>
      </tbody>
    </table>
  </div>
  <br>
</body>
```

</html>

From:
https://tools.e-exercises.com/ - **Ressources pour les apprenants**

Permanent link:
https://tools.e-exercises.com/doku.php?id=fr:gramatica_es:sustantivos_y_adjetivos:adjetivos:adjetivos_descripcion_fisica_psicologica&rev=1476947509

Last update: **2023/02/14 14:21**